Form Approved REPORT DOCUMENTATION PAGE OMB No. 0704-0188 The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for educing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwith standing any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS. 3. DATES COVERED (From - To) 1. REPORT DATE (DD-MM-YYYY) 2. REPORT TYPE 02 April 2017 06 March 2017 - 02 April 2017 **Briefing Charts** 4. TITLE AND SUBTITLE 5a. CONTRACT NUMBER Synthesis of Backfunctionalized Imidazolinium Salts and NHC Carbene Complexes 5b. GRANT NUMBER 5c. PROGRAM ELEMENT NUMBER N/A 5d. PROJECT NUMBER 6. AUTHOR(S) Rusty L. Blanski, Hong Phan, and Robert H. Grubbs N/A 5e. TASK NUMBER N/A 5f. WORK UNIT NUMBER Q1CC 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER Air Force Research Laboratory (AFMC) N/A AFRL/RQRC 10 E. Saturn Blvd. Edwards AFB. CA 93524-7680 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSOR/MONITOR'S ACRONYM(S) Air Force Research Laboratory (AFMC) N/A AFRL/RQR 5 Pollux Drive 11. SPONSOR/MONITOR'S REPORT NUMBER(S) Edwards AFB, CA 93524-7048 AFRL-RQ-ED-VG-2017-044 12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited. PA Case Number: 17132; Clearance Date: 16 March 2017 13. SUPPLEMENTARY NOTES For presentation at American Chemical Society National Meeting; San Francisco, CA, USA (02 April 2017) Prepared in collaboration with California Institute of Technology; The U.S. Government is joint author of the work and has the right to use, modify, reproduce, release, perform, display, or disclose the work. 14. ABSTRACT Viewgraph/Briefing Charts

15. SUBJECT TERMS

N/A

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF		19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE	ABSTRACT	OF PAGES	W. Hoffman
					19b. TELEPHONE NUMBER (Include area code)
Unclassified	Unclassified	Unclassified	SAR	21	N/A



THE AIR FORCE RESEARCH LABORATOR

LEAD L DISCOVER L DEVELOP L DELIVER



Synthesis of Backfunctionalized Imidazolinium Salts and NHC Carbene Complexes

Dr. Rusty Blanski

High Temp Components Group (RQRC)
Air Force Research Laboratory Edwards AFB, CA

Ms. Hong Phan Consultant

Professor Robert H. Grubbs California Institute of Technology,
Pasadena, California





Introduction



- Introduction
- Research Overview
- Synthesis of Backfunctionalized Imidazolinium salts and NHC carbene complexes
 - Initial Research
 - Unintended Discovery
 - Survey chemistry of aromatic systems
 - Expansion of survey chemistry to aliphatics
- Conclusions and Future Directions



Edwards AFB – AFRL Rocket Propulsion Research







Edwards AFB



History

- Originally known as Muroc Army Air Corps Base
- Test flights of the YB-42 (first American Jet) in the early '40s
- Location where Chuck Yeager broke the Sound Barrier in the Bell X-1 (Original craft at the Smithsonian)
- X-15 sub-orbital flights in the '60s (Armstrong)

AFRL

- Tenant of Edwards AFB since late '50s
- Full scale testing of the Atlas rockets (Gemini missions)
- Initial testing of the F-1 engine (Apollo missions) performed on site in the mid '60s
- Large scale testing of solid rocket motors (Titan IV)
- "Iranian nuclear facility" destroyed by the Transformers in "Transformers: The Dark side of the Moon"



Edwards AFB – AFRL Projects




- The Air Force has an interest in NHC carbene precursors for a variety applications
 - lonic liquid propellants and additives
 - Ligands for Supercritical Chemical Fluid Deposition (SCFD)
- The Air Force also has an interest in fluorinated NHC carbenes
 - perfluoroalkyl chains generally known to improve solubility of systems in supercritical fluids
 - "Backfluorinated" NHC carbenes to improve solubility in supercritical fluids and maintain ligand stability



Backfluorinated NHC-Ru Catalysts Overlaying Two Technologies



- It was easy to see that this technology should be applicable to other research areas
 - Olefin metathesis
- A Sabbatical was completed with Grubbs through the Visiting Scientist Program



http://www.dtic.mil/dtic/tr/fulltext/u2/a623502.pdf



Synthesis of Backfluorinated NHC Carbenes



- Methodology is effective but inefficient
- Is there a more efficient method to synthesize?



Backfluorinated NHC Carbenes Is There a Better Synthetic Method?



- Maybe!
- What about a cyclization with a formamidine and a fluorinated dihalide?
 - Inspired by Grubbs' and Bertrand's work

Kuhn and Grubbs - Org. Lett., 2008, 10, 2075

Bertrand - JOMC,691 (2006), 3201-3205



Backfluorinated NHC Carbenes Cyclization with Formamidine



$$H - \left(\frac{CF_2}{2} \right)_2$$

$$NaBr/NaBrO_3$$

$$HOAc$$

$$H - \left(\frac{CF_2}{2} \right)_2$$

$$Mes - N - Mes$$

$$H - \left(\frac{CF_2}{2} \right)_2$$

$$Mes - N - Mes$$

$$H - \left(\frac{CF_2}{2} \right)_2$$

$$Mes - N - Mes$$

$$H - \left(\frac{CF_2}{2} \right)_2$$

- Tetrafluoropropyl group chosen as simulant
 - Determine optimal reaction conditions with very cheap reagent (10 cents/gram)



Cyclization with Formamidine Secondary Substitution an Issue



This specific methodology was abandoned

small amount observed by NMR



Grubbs Lab Discovery Myles Herbert – PhD Grubbs 2014



- During my stay at Caltech, Myles presented that methyl-2,3-dibromopropionate can be cyclized with mesityl formamidine to give the imidazolinium salt in high yield
- The activity of the synthesized metathesis catalyst is comparable to the unsubstituted catalyst
 - Backfunctionalization minimally perturbs ligand electronics
- Project was dropped for Z-selective work
- Can this methodology be used for backfluorinated NHC carbene complexes?



Backfunctionalized Imidazolinium Salts Mono and Difunctional




- Original cyclization work required elevated temperatures for completion
- Exotherm suggests ester group may affect electronics



Backfunctionalized Imidazolinium Salts Fleshing out the limits of cyclization



- Aromatic and bulky aliphatic groups are cyclized
- Aromatics with e⁻ withdrawing groups (Ar_f, C₆F₅-, o-CF₃-Ar, m-CF₃-Ar, 1,3,5-F₃C₆H₂-) not cyclized
- Can other aliphatics be cyclized?



FROMAMIDENE PRECURSOR	PRODUCT	ADDITIONAL NOTE
mesityl	Colorless solid	75%, unoptimized
o-tolyl-	Colorless solid	
p-tolyl-	Colorless solid	
2,6-diisopropylphenyl-	Colorless solid	
4-CF ₃ -phenyl-	Colorless solid	50%
adamantyl-	Colorless solid	
cyclohexyl-	Colorless solid	
2-ethyl-1-hexyl-	Yellow viscous oil	Toluene soluble!

US Patent App 20160102061



Synthesis of Formamidines Low Boiling Amines Issue



- Using HOAc as a catalyst worked for all high boiling amines/anilines but not suitable for low boiling amines
- Issue of lower boiling amines solved by Cavell
- One equivalent of HOAc to form nonvolatile salt
 - Adapted procedure to other aliphatic amines


Cavell - Dalton Trans., 2013, 42, 7318-7329



Backfunctionalized Imidazolinium Salts Fleshing out the limits of cyclization



- All aliphatic groups attempted are cyclized
- All fall under the definition of "ionic liquid"
- All are toluene soluble
- Constitutes a new class of materials: backfunctionalized ionic liquids



FROMAMIDENE PRECURSOR	PRODUCT	ADDITIONAL NOTE
Methyl-	TBD	
n-propyl-	Yellow viscous oil	
i-propyl-	Yellow viscous oil	
n-butyl-	Yellow viscous oil	
sec-butyl	Yellow viscous oil	
iso-butyl	Yellow viscous oil	
tert-butyl	Yellow viscous oil	
n-hexyl	Yellow viscous oil	Toluene soluble

US Patent App 20160102061



Backfunctionalized Imidazolinium Salts Transesterification



- Transesterification is effective
- Exploring other possibilities → Exotic groups
- Adds to the enormous potential of the technology



Backfunctionalized NHC Complexes Iridium Compounds



$$\begin{array}{c} \text{Mes} \\ \text{N} \\ \text{N} \\ \text{N} \\ \text{Mes} \\ \text{N} \\ \text{N} \\ \text{N} \\ \text{Mes} \\ \text{N} \\ \text{N$$

- Standard Ag metalation conditions
- Electronics study pending



Backfunctionalized Imidazolinium Salts



Conclusions

- Backfunctionalization by the cyclization of a formamidine with a secondary dihalide is not effective
- One exception is the cyclization of a brominated acrylate with mesityl formamidine
- The cyclization of a brominated acrylate and a formamidine is quite general
- In addition to the aromatic imidazolinium salts prepared, a new class of backfunctionalized imidazolinium-based ionic liquids was also invented



Future Work



- Perform detailed electronics study on ligands
- Increase the amount of backfluorination of imidazolinium complexes (difunctional)
- Look for strategic collaborations to push the technology forward
- Investigate the use of the technology for other applications in order to improve sustainability
 - Dual Use Technology



Acknowledgments



- Air Force
- Leslie Peasant (AFOSR)
- Dr. Ken Caster (AOARD)
- Ms. Hong Phan

- Cal Tech
- Prof Grubbs
- Linda Syme (Admin)
- Grubbs Group